



DEPARTMENT OF AGRICULTURE,  
CEYLON.

BULLETIN No. 39.

---

THE DISTRIBUTION OF  
**XYLEBORUS FORNICATUS, Eich.**

*(Shot-hole Borer of Tea.)*

**E. R. SPEYER, M.A., F.E.S.**

*Entomologist for Shot-hole Borer Investigations.*

---

Peradeniya,  
August, 1918.

---

COLOMBO:  
H. C. COTTLE, GOVERNMENT PRINTER, CEYLON.

---

1918.

T. PETCH, B.A., B.Sc.	..	Botanist and Mycologist.
M. K. BAMBER, M.B.A.C., F.I.C., F.C.S.	..	Government Chemist.
E. R. SPEYER, M.A., F.E.S.	..	Acting Entomologist.
C. DRIEBERG, B.A., F.H.A.S.	..	Superintendent of Low-country Products and School Gardens.
H. F. MACMILLAN, F.L.S., F.R.H.S.	..	Superintendent of Botanic Gardens.
N. K. JARDINE, F.E.S.	..	Entomologist for Tea Tortrix.
H. A. DEUTROM	..	Acting Manager, Peradeniya Experiment Station.
G. HARDORD*	..	Manager, Dry Zone Experiment Station.
G. BRYCE, B.Sc.*	..	Assistant Botanist and Mycologist.
G. M. HENRY	..	Assistant Entomologist.
T. H. PARSONS*	..	Curator, Royal Botanic Gardens, Peradeniya.
J. J. NOCK	..	Curator, Botanic Gardens, Hakgala.
ALEXANDER PERERA	..	Inspectors of School Gardens.
D. D. FERNANDO	..	
C. WICKREMERATNE	..	Secretary, Board of Control, Co-operative Credit Societies.
N. WICKREMERATNE	..	
G. SCHRADER	..	Manager, Chillum Coconut Trial Ground.
D. F. DE SILVA GUNARATNE	..	Conductor, Henaragoda.
T. YOUNG	..	Conductor, Nuwara Eliya.
R. H. PEREIRA	..	Chief Clerk.

\* On Military service.

## COMMITTEE OF AGRICULTURAL EXPERIMENTS.

Director of Agriculture, *Chairman*.

Botanist and Mycologist.	Mr. N. G. Campbell.
Government Chemist.	Mr. J. B. Coles.
Rubber Research Chemist.	Mr. R. G. Coombe.
Entomologist.	Mr. A. J. Austin Dickson.
Superintendent, Botanic Gardens	Lieut.-Col. W. G. B. Dickson.
Superintendent, Low-country Products and School Gardens.	Mr. H. D. Garrick.
Govt. Agent, Central Province.	Mr. G. H. Gollidge.
Assistant Government Agent, Puttalam.	Mr. E. W. Keith.
Rural Member of the Legislative Council.	Mr. A. S. Long-Price.
Chairman, Planters' Association.	Mr. N. J. Martin.
Chairman, Low-country Products Association of Ceylon.	Mr. G. H. Masefield.
Mr. William Sinclair.	Mr. C. E. G. Pandittesekere.
Mr. A. W. Beven.	Mr. J. S. Patterson.
	Mr. M. L. Wilkins.
	Mr. T. Y. Wright.
	Sir Solomon Dias Bandaranaike.
	Kt., C.M.G.

Manager, Peradeniya Experiment Station, *Secretary*.

## THE DISTRIBUTION OF *XYLEBORUS FORNICATUS*, Eich.

(Shot-hole Borer of Tea.)

### 1.—HISTORY IN CEYLON.



THE description of the Shot-hole Borer Beetle (*Xyleborus fornicatus*) was made by Eichhoff\* in 1868 from a specimen collected in Ceylon. Though not impossible, it is yet improbable that Eichhoff's specimens were found attacking the tea bush.

Though tea existed in the Island at the time, the range of the plant was confined to a few examples in the Botanic Gardens and some acres newly planted on the Loolecondara estate (Lower Hewaheta district). From correspondence between Mr. E. E. Green and Mr. G. Alston, it is quite certain that the insect was present on the Craighead estate, Nawalapitiya (Dolosbage district), in 1892. Specimens were sent by Mr. Alston to Dr. Trimen in 1893, and on January 23 of that year Dr. Trimen answered as follows :—

They are well-known little beggars, closely allied to the apple twig borer at home (i.e., *Xyleborus dispar*). I do not think his work leads to any very great damage in the tea plants, but if he came in great numbers he might do considerable harm. I know this little borer on four estates near here (Peradeniya) myself : in one case he disappeared to a large extent ; in the other cases he is spreading, but as yet has done no very serious damage.

From a later letter from Mr. Alston the pest was first noticed in January, 1892, Field 26 A, but it was evidently on the estate before that time.

In April, 1896, the following article by Mr. Edward Barlow appeared in Indian Museum Notes, Vol. IV., No. 2, pp. 56–58, with a drawing of the insect (pl. V., fig. 2), containing an extract of Mr. Alston's letter to Mr. Green dated January 8, 1895 :—

On January 28, 1895, specimens of a small beetle, together with pieces of tea stems riddled by them, were sent to the Indian Museum through Mr. E. E. Green, of Ceylon, from Mr. G. Alston, superintendent of tea estate, Craighead, Nawalapitiya. The insect proved on examination to belong to a species of Scolytid beetle, which has not previously been reported to attack tea plants in India. Specimens

\* Berl. Ent. Zeitschr., p. 151, 1868.

were therefore forwarded to Mr. W. F. H. Blandford, who very kindly examined them and identified them as belonging to the species *Xyleborus fornicatus*, Eichhoff, a form closely allied to the often destructive species *Xyleborus dispar* of Europe and North America.

The following is an extract from a letter furnished by Mr. G. Alston:—

The pest appears mostly in patches, but has spread very considerably since I first observed it in any numbers three years ago. There is no evidence of any previous disease in attacked trees. Most of the trees attacked show no outward sign of the pest, except when almost every branch is attacked, when they turn rather yellow, and stop flushing. Young trees about two years old, before they are topped, often snap off at the spot where the borers have made holes for their entrance or exit. Strong vigorous trees in good soil seem to be very little affected by it, and throw out good red wood even from badly bored stems. On the other hand, poor plants on ridges or poor soil seem naturally to feel the effect of it quickly, though in no case have I seen a tree killed by it. Isolated branches die off, but new branches come out in their places. As a rule, you can only tell an attacked tree (except in the case of young plants, when the stems snap off) on pruning it, when the holes in the wood are very apparent. It (the beetle) does not attack the cut surface after pruning, but makes its entrance through the bark. In the case of young red wood, it very generally goes straight down the pith; in older branches I have often seen the wood riddled, as if a charge of snipeshot had been fired into it, with only one or two minute holes in the bush for exit or entrance. And yet, in the case of vigorous trees, they seem to thrive notwithstanding. Since 1893 the pest has spread very much and become more general, though I cannot say that I see much difference in the fields that were attacked then.

The writer, in the foregoing account of the pest, practically suggests the remedy, namely, either not to plant in poor soil, or, if the soil is poor, to improve it, and then to strengthen the plant against attack, the great object of all medical treatment everywhere.

To prevent the spread of the disease, the affected branches should be cut off and burnt.

The next record of the pest comes from Attabagie estate, Gampola (Pussellawa district), in 1899, and further records are as follows:—

Estate.		Post Town.		District.
1900.				
Pon-y-lan	..	Dolosbage	..	Dolosbage
1901.				
Augusta	..	Peradeniya	..	Hantane
Hindugalla	..	do.		
Deltota	..	Deltota		
1903.				
Kadawella	..	Watawala	..	Lower Dikoya
Deaculla	..	Koslanda	..	Haputale
Poonagalla	..	do.	..	do.
Tonacombe	..	Namunukula	..	Badulla
Hauteville	..	Agrapatana	..	Dimbula
Halgolle	..	Yatiantota	..	Kelani Valley
Kotuwagedera	..	Matale		
Midlands	..			
Ury	..	Passara	..	Passara
		Knuckles and Kelebokka		

This gives evidence that in 1903 the insect was already distributed in a number of widely separated districts, and by 1909 estates in Maturata and Wattagama were added. Since 1912, when the Rangala and Medamahamuwa districts were reported, the range has extended to Balangoda, Ratnapura, Galle, Kahutara, Madulsima, Kegalla, and a few estates in Upper Dikoya.

The record in 1903 from Hauteville, Agrapatana, is of especial interest, as the estate lies in the middle of a large uninfected area. There can be no question of the identity of the specimens, which are still in the Department of Agriculture.

Inquiries show that Shot-hole Borer was found attacking about half an acre of tea on the Glasgow boundary in August, 1903; the infected portion was pruned, and all the prunings were burnt; this information comes from Mr. Jackson, who was then a superintendent on the estate. The borer has not re-appeared here or on any neighbouring estate in the Dimbula district.

Quite recently there has been a considerable spread in the Ratnapura and Balangoda districts, both of which may now be taken generally as completely infected, except for some outlying and isolated estates. Here the infection undoubtedly started from the planting of infected tea plants brought from the Ambegamuwa and Lower Hewaheta districts in 1910 on a new clearing of 47 acres. Since 1914 the borer has covered an approximate area of 5,000 acres in the district.

It is a great mistake to suppose that all areas where tea is grown in Ceylon are affected by Shot-hole Borer. Haputale West, New Galway, Nuwara Eliya, and Uda Pussellawa, where the borer is entirely absent, represent an area of 15,000 acres alone; while in Upper Dikoya, Dimbula, Madulsima, and Maskeliya about 90,000 acres are still uninfected. The total area uninfected is about one quarter of the total acreage under tea.

The list of infected estates at the end of this Bulletin serves to give a good general idea of the distribution of the pest. The most interesting point is the limitation of the distribution at certain places in well-marked valleys. In Dimbula the infestation comes to a somewhat abrupt end on the East Holyrood and St. Andrew's estates, and it seems likely that the insect is from time to time blown from the lower portion of the valley (Meddecombra) to the latter estate, but never becomes properly established there. Similar instances are afforded in the cases of the Rozelle-Hatton valley (Lower Dikoya), and the lower elevations of Upper Dikoya and Maskeliya. The Maha Uva estate lies between the Walapane and Uda Pussellawa districts, and the lower portion has been

somewhat heavily infected since 1915. Being isolated from the large uninfected Uda Pussellawa district by jungle and patana, an opening of the intervening land might be a menace to the latter district.

There can be little doubt that wind and the planting of new clearings with infected tea plants have been in great part the factors in the distribution of the insect.

Distribution by natural causes appears to spread the insect much less rapidly than distribution in infected plants.

## 2.—DISTRIBUTION IN CASTOR OIL TREE.

Mr. E. E. Green collected Shot-hole Borer in castor oil tree (*Ricinus communis*) from Hanguranketa in July, 1906, and the late Mr. A. Rutherford recorded it in this plant from Peradeniya in 1914. Until 1915 it was not realized to what a large extent the tree was attacked, and it may now be said that, in the red variety of the plant, the insect has been found from sea level to an elevation of 6,000 feet. The habit of the insect, when boring in this tree, gives evidence that castor oil tree is the true host plant; and this is further corroborated by the distribution outside Ceylon, and by the fact that the tree is infested in Ceylon in areas very far removed from any tea. There is some reason for believing that the tea on one or two estates has been infected directly from this plant, and the case of the Hauteville estate, mentioned above, possibly throws light upon the matter, as castor oil trees have long been in the Dimbula district, and, before their removal, were breeding many millions of insects.

## 3.—DISTRIBUTION OUTSIDE CEYLON.

In August, 1917, specimens of castor oil tree were received from Bangalore, India (elevation 3,000 feet), riddled by true Shot-hole Borer. These were collected and sent by the Government Entomologist, Coimbatore; there were some hundreds of insects in the sections of the tree received. This is the only authentic record of the insect outside Ceylon.

Inquiry has been made into several other records, and in each case it will be seen that there is grave doubt of the identity of the insect :—

Watt and Maun, "The Pests and Blights of the Tea Plant," p. 175, 1903 :—

*Xyleborus fornicatus*, *Eichoff*.—Till the autumn of 1900 it (the beetle) was unknown in India, but then suddenly appeared and did considerable damage on a garden in the Upper Dibrugarh district before its nature was discovered and measures were taken to deal with it. One of the authors has since found it in a second place in Upper Assam, again doing considerable damage.

*Description and Depredations.*—The insect is a small beetle, rarely more than one-eighth of an inch in length, which is found riddling the branches and stems of the bushes, both as a grub and in the mature condition. The extremely small size of the beetle often prevents its recognition, until a very large patch of the tree has been attacked and seriously affected.

When first reported in India, the manager of the estate on which it occurred described the plot affected as a piece of pure Assam indigenous tea, and then went on to say, "the affected part looked at first as if it had been struck by lightning, a number of bushes turning red and then dying off completely. No notice was taken of it until it was seen to be spreading, when, on close examination, powdered wood was noticed round the affected bushes, and small holes in the stem a few inches above the ground. On the stems being split open, a number of beetles and grubs were found to be inside, and to have tunnelled the stem in all directions, but only for about 6 inches in height, and in every case just above the ground."

It will be seen that the description here given is entirely different from that correctly recorded in the Indian Museum Notes of 1896. Therefore, it must be assumed that the insect here described belongs to another species. *Xyleborus semiopacus*, Eich., and *Xyleborus perforans*, Woll., have both been recorded from tea in Ceylon, but from bushes previously killed by some fungus disease. The description given by Watt and Mann strongly points to the bushes having first been killed by some agency other than an insect. In a letter dated January 22, 1917, Dr. Mann says:—

The samples of *Xyleborus formicatus* which I reported in "Pests and Blights of the Tea Plant" were identified by Dr. George Watt from samples sent to him by Mr. Green from Ceylon. They came from the Pobbajan Tea Co., and the whole patch where they occurred was at once burnt and cut down to the ground. They were never found again in my time, either there or anywhere else. The samples, if they still exist, are with the rest of Sir George Watt's collection of tea pests and blights. Where these were sent to I do not know. They may be with the Imperial Entomologist, Pusa.

Further inquiries show that the specimens were preserved on slides in the Indian Museum, but had become detached and lost.

With regard to the second place in Assam from which the insect was recorded, there appears to be no record whatever.

It can only be assumed that there was here some mistake in identity, and the specimens, though compared with samples from Ceylon, were never determined by any authority on Scolytid beetles. The record is copied in Leffroy's "Indian Insect Life," p. 395. Specimens received from Assam in tea were all species different from *X. formicatus*, but species which might be confused with that insect.



Bainbrigg Fletcher, "Some South Indian Insects," 1914, pp. 345-346 :—

***Xyleborus fornicatus*, Eich.**

Distribution : Travancore (Pirmad and High Range).

Status : The Shot-hole Borer is said not to be uncommon in Travancore, and presumably does little damage.

Remarks : I am indebted to Mr. Anstead for information regarding the occurrence of this insect in Southern India.

The record was made on the authority of Mr. R. Anstead, Deputy Director of Agriculture, Bangalore.

In a letter dated August 30, 1917, he says :—

I think it is extremely probable that *X. fornicatus* does not occur in South India. I have a note that I found what I then thought to be this insect in 1910 in Peermade, and am responsible, I know, for telling you this (in a previous letter); but in view of what I now know of this insect, and that I cannot find it again or hear of it from any tea planter, I think I made a mistake, and mistook some other pest for *Xyleborus*. At any rate, if it does occur, it is *very rare*, and not a pest.

M. Hagedorn, "Der Tropenflanzer," Berlin, XVII., No. 4, April, 1913, p. 215 :—

Two Scolytid beetles have been destructive to nutmeg (*Myristica fragrans*) in Penang, *Xyleborus fornicatus*, Eichhoff.

Hagedorn, the Scolytid authority, gives the record, and refers to specimens from cacao in Ceylon in No. 3 (March, 1913, p. 154) of the same journal. Here, however, though stating that the insect is found in cacao and tea in Ceylon, he does not refer to the Penang record in the later number. Of the many trees and plants attacked by *X. fornicatus* in Ceylon, the nutmeg does not appear amongst them, though another species of Scolytid is common in the fruits (*Coccotrupes*).

E. A. Andrews, "Quarterly Journal, Scientific Department, Indian Tea Association," Part IV., 1913, pp. 94 and 95.

Under the heading *Shot-hole Borer*, *Xyleborus fornicatus*, a description of the habits is given, which, if applying to the species, is so inaccurate that it is certainly not worth quoting.

The locality in which the observations were made is not given, and the remedial measures, "by placing upright poles in the ground among the bushes, the insects may be induced to leave the latter alone and bore into the former, which can be destroyed," have obviously been suggested by one who has no knowledge whatever of the insect.

The Entomologist at the Tocklai Experiment Station, Assam, amongst other valuable information, says that "Antram recorded *X. fornicatus* from Romari tea estate,

Assam, but when I was there in 1915 I found that the damage which he had attributed to a Scolytid was caused by a small Psychid (Lepidopterous) caterpillar."

In conclusion, it may be said that, owing to the knowledge of the true Shot-hole Borer as a pest in Ceylon, authorities in India have recorded this insect in that country on the slenderest ground, and the fact that no specimens of *X. fornicatus* are available from India for identification, except in the one authentic case from Bangalore in castor oil tree, gives legitimate cause for assuming that the insect does not exist in tea either in India or Assam.

It is possible that Hagedorn's record from Penang in nutmeg is valid, but no details of any kind are available.

According to the "Review of Applied Entomology," Vol. IV., p. 136, Mr. C. F. C. Beeson, in the "Indian Forester, Allahabad," XLII., No. 4, April, 1916, pp. 216-223, records *X. fornicatus* from the sal tree (*Shorea robusta*), but the Forest Zoologist, Dehra Dun, writes on September 4, 1917, "I have seen no specimens of *X. fornicatus* from India."

The distribution of *Xyleborus fornicatus*, Eich., is as follows:—

Plant.	Elevation. Feet.
<i>India (Bangalore).</i>	
<i>Ricinus communis</i> L. Castor Oil Tree ..	3,000
<i>Penang.</i>	
<i>Myristica fragrans</i> Houtt. Nutmeg ..	?
<i>Ceylon.</i>	
<i>Albizia moluccana</i> Mig. ..	100-3,000
<i>Allophylus cobbe</i> ..	1,600
<i>Bixa orellana</i> L. Annatto ..	?
<i>Camellia theae</i> Link. Tea ..	100-5,000
<i>Caryota urens</i> L. Kital Palm ..	4,000
<i>Cassia alata</i> L. ..	1,600
<i>Cinchona calisaya</i> Wild. Cinchona ..	?
<i>Citrus aurantium</i> L. Orange ..	2,000
<i>Clerodendron</i> sp. ..	1,600
<i>Crotalaria striata</i> ..	2,000
<i>Desmodium cephalotes</i> ..	1,600
<i>Erythrina lithosperma</i> Bl. Dadap ..	1,600-4,500
<i>Grevillea robusta</i> A. Cunn. Silky Oak ..	1,600-4,000
<i>Hevea brasiliensis</i> Mull. Para Rubber ..	1,000-2,000
Jungle Shrubs and Lantana ..	1,000-4,000
<i>Melastoma malabathricum</i> L. ..	1,600
<i>Persia gratissima</i> Gaertn. Avocado Pear ..	1,600
<i>Petrea volubilis</i> Jacq. ..	1,600
<i>Photinia japonica</i> Linell. Loquat ..	3,000
<i>Psidium guajava</i> . Guava ..	?
<i>Ricinus communis</i> L. Castor Oil Tree ..	100-6,000
<i>Tephrosia candida</i> D. C. Boga Medalloa ..	1,000-4,000
<i>Tephrosia vogelii</i> ..	1,600
<i>Terminalia catappa</i> L. Country Almond ..	1,600
<i>Theobroma cacao</i> L. Cocoa ..	1,600

Of these plants, only three harbour the insect to any great extent, namely, castor oil tree, tea, and country almond, if the identification is correct in the latter case.

Species of *Crotalaria*, *Tephrosia*, the *Dadap*, and *Albizia* may occasionally be seriously attacked. In the other plants galleries are only made with varying success. In the case of the country almond, portions of wood attacked by fungus, but otherwise living, have been infested; in all other cases living tissue is entered. Jungle shrubs are only entered in close proximity with heavily infected tea.

#### 4.—ELEVATION.

The elevation of the Craighead estate is about 2,000 feet above sea level. It is at this elevation that Shot-hole Borer is now particularly abundant. In 1903 the insect was certainly established at elevations of about 4,000 feet. There does not seem to be much doubt that Shot-hole Borer spreads gradually upwards, attaining an altitude of 5,000 feet, but it becomes less common when 4,000 feet is reached, and above 4,500 it is no longer a serious pest.

The intervals at which tea is pruned certainly influence the infestation at given altitudes, and if tea can be run so that a vigorous flush can be plucked for longer periods, the infestation is less than that at a similar altitude, where the tea flushes for shorter periods, entailing shorter periods between prunings.

The reason for the borer being less common at elevations above 4,000 feet is that the development is longer by a period of some three weeks, as compared with that at 2,000 feet or under. At very low elevations, 100–1,000 feet, the insect, curiously enough, becomes again less abundant. The districts of Galle and Kalutara, which afford examples, are, however, extremely wet, and this may in part account for the marked falling off in the infestation.

---

**List of Estates Infected (to June 7, 1918).**

District.	Name of Estate or Division.	Group.	Post Town.	Date of Registration.	Gazette No.
<b>Aligala (see Kaduganawa North).</b>					
<b>Ambagamuwa</b>					
.. Arslana	.. ..	—	.. Nawalapitiya	.. June 29, 1917	.. 6,884
Ashtorne	.. ..	—	.. do.	.. February 5, 1915	.. 6,897
Atherton (see Kotte district).	.. ..	—	.. —	.. March 19, 1915	.. 6,705
Blackstone	.. ..	Midland	.. Nawalapitiya	.. February 5, 1915	.. 6,897
Blackwater	.. ..	—	.. do.	.. do.	.. do.
Bridgend	.. ..	—	.. do.	.. do.	.. do.
Dabanaikie	.. ..	Penros	.. Galboda	.. September 16, 1916	.. 6,823
Ellawala	.. ..	—	.. do.	.. February 5, 1915	.. 6,897
Ellawalle	.. ..	—	.. do.	.. do.	.. do.
Galleboddle	.. ..	Galleboddle	.. Nawalapitiya	.. March 19, 1915	.. 6,705
Glenfern	.. ..	Glenfern	.. do.	.. June 29, 1917	.. 6,884
Glenfern	.. ..	Midland	.. do.	.. February 5, 1915	.. 6,897
Gnais Rook	.. ..	—	.. do.	.. do.	.. do.
Haarzena	.. ..	—	.. do.	.. do.	.. do.
Haarzena	.. ..	—	.. do.	.. do.	.. do.
Hentley's	.. ..	Penros	.. Nawalapitiya	.. do.	.. do.
Hyndford	.. ..	—	.. do.	.. do.	.. do.
Indrapitita	.. ..	—	.. do.	.. do.	.. do.
Kadawala	.. ..	—	.. Galboda	.. January 12, 1917	.. 6,847
Kenilworth	.. ..	Midland	.. do.	.. March 19, 1915	.. 6,705
Kisrawatte	.. ..	Galboddle	.. do.	.. February 5, 1915	.. 6,897
Midland	.. ..	do.	.. Nawalapitiya	.. March 19, 1915	.. 6,705
Penros	.. ..	Penros	.. do.	.. February 5, 1915	.. 6,897
Prestonsland	.. ..	Midland	.. do.	.. March 19, 1915	.. 6,705
Rondura (see Kelani Valley).	.. ..	—	.. do.	.. do.	.. do.
St. Clive (see Yakkessa).	.. ..	do.	.. do.	.. February 5, 1915	.. 6,897
Strathellie	.. ..	—	.. Galboda	.. do.	.. do.
Waywelakawa	.. ..	—	.. do.	.. do.	.. do.

District.	Name of Estate or Division.	Group.	Post Town.	Date of Registration.	Cassette No.
<b>Badulla</b>	Angodde	Cobo	Badulla	May 14, 1915	6,713
	Atampettiya	—	do.	June 7, 1918	6,948
	Baflagalla	Glen Alpin	do.	May 14, 1915	6,713
	Cobo	Cobo	do.	do.	do.
	Craigmore	—	do.	do.	do.
	Cullen	—	do.	do.	do.
	Debedde	Wewesse	Badulla	March 9, 1917	6,868
	Dewatura	Touacombo	do.	May 14, 1915	6,713
	Diekwell	—	Namunukula	June 7, 1918	6,948
	Dotlands	—	Badulla	July 30, 1915	6,740
	Ellawattie	Sarnia	do.	June 7, 1918	6,948
	Elmsburst	—	Demodera	May 14, 1915	6,713
	Fernoylo	—	Badulla	June 7, 1918	6,948
	Galapitekanda	Touacombo	Namunukula	do.	do.
	Glen Alpin	—	do.	February 2, 1917	6,851
	Gowerakelle	Glen Alpin	Badulla	May 14, 1915	6,713
	Hindagalla	—	Demodera	February 5, 1915	6,697
	Hingurugama	—	Namunukula	May 14, 1915	6,713
	Jainudeen	—	Badulla	March 19, 1915	6,705
	Kalugalla	—	do.	December 11, 1914	6,687
	Kardahena	Touacombo	Namunukula	June 7, 1918	6,948
	Keenakelle	—	do.	July 30, 1915	6,730
	Kottagodde	Keenakelle	Badulla	October 12, 1917	6,902
	Malapahagalla (see Passara).	Spring Valley.	do.	March 19, 1915	6,705
	Mahapenne	Sarnia	do.	June 7, 1918	6,948
	Moragalla	—	do.	June 7, 1917	6,876
	Nahavilla	—	Demodera	March 19, 1915	6,705
	Napier	—	do.	March 3, 1917	6,890
	Nepitigalla	—	Badulla	May 14, 1915	6,713
	Nuulle	Demodera	do.	December 17, 1915	6,764

Ooumbe	..	Demodora	..	May 14, 1915	..	6,713
Oodowervo	..	do.	..	do.	..	do.
Pingarawa	..	Namunukula	..	May 14, 1915	..	6,713
Queensdown	..	Badulla	..	September 10, 1915	..	6,739
Ravenstowood	..	Namunukula	..	May 14, 1915	..	6,713
Rockhill	..	Badulla	..	do.	..	do.
Sarnia	..	do.	..	June 7, 1918	..	6,948
Serendib	..	do.	..	September 15, 1916	..	6,823
Souham	..	Demodora	..	February 5, 1915	..	6,697
Spring Valley, I-V.	..	Badulla	..	March 19, 1915	..	6,705
St. James	..	Hafela	..	May 14, 1915	..	6,713
Stratheden	..	Demodora	..	February 22, 1918	..	6,926
Telbedde	..	Badulla	..	March 19, 1915	..	6,705
Tonacombe	..	Namunukula	..	June 7, 1918	..	6,948
Unugalla	..	do.	..	June 1, 1917	..	6,876
Westmorland	..	Badulla	..	March 19, 1915	..	6,705
Weyvesse	..	do.	..	May 14, 1915	..	6,713
Weyvelbena	..	Demodora	..	do.	..	do.
Yelverton	..	Badulla	..	June 7, 1918	..	6,948
.. Alupolla (see Ratnapura district).	..		..		..	
Cecilton	..	Balangoda	..	June 7, 1918	..	6,948
Denegana	..	Bogawantalawa	..	September 15, 1916	..	6,823
Detenagalla	..	Balangoda	..	July 30, 1915	..	6,730
Keenagatha-Ella	..	do.	..	June 18, 1915	..	6,722
Keppoch	..	do.	..	March 9, 1917	..	6,858
Maratenne	..	do.	..	June 7, 1918	..	6,948
Meddakande	..	do.	..	do.	..	do.
Pambagolla	..	Meddakande	..	July 30, 1916	..	6,730
Pinnawela	..	Balangoda	..	June 7, 1918	..	6,948
Resagalla	..	do.	..	June 23, 1917	..	6,884
Wallave	..	do.	..	July 20, 1917	..	6,888
Wewelwatte (see Ratnapura district).	..	do.	..		..	
Balangoda	..		..		..	

District.	Name of Estate or Division.	Group.	Post Town.	Date of Registration.	Gazette No.
<b>Dikoya (Upper)</b>	Glongariff	—	Hatton	February 5, 1915	6,697
	Osborne	—	do.	March 19, 1915	6,705
	Aberdeen	—	Watawala	September 10, 1915.	6,739
	Abergeldio	—	Rozello	October 22, 1915	6,649
	Agrawatta	Carolina	Watawala	February 5, 1915	6,697
<b>Dikoya (Lower)</b>	Carolina, No. 1	do.	do.	do.	do.
	Do, No. 2	do.	do.	do.	do.
	Comar	Comar	do.	September 16, 1916.	6,823
	Donybrook	—	Hatton	February 5, 1915	6,697
	Hardenhuish	—	Watawala	do.	do.
<b>Dimba</b>	Kadawella	Carolina	do.	do.	do.
	Lonach	—	do.	do.	do.
	Norton	—	Hatton	do.	do.
	St. Aubins	—	Watawala	do.	do.
	St. Heliers	—	do.	November 16, 1917	6,909
	Vellai Oya	—	Hatton	February 5, 1915	6,697
	Wattawella	—	Rozello	do.	do.
	Devon	—	Talawakale	August 31, 1917	6,895
	East Holyrood	—	do.	October 22, 1915	6,749
	Meddecemba	—	Watawala	February 5, 1915	6,697
<b>Dolobage</b>	Mount Vernon	—	Kotagala	do.	do.
	St. Andrews	—	Talawakale	June 7, 1918	6,948
	Yoxford	—	Watawala	September 10, 1915.	6,739
	Allagalla	Barnagalla	Dolobage	February 5, 1915	6,697
	Barnagalla	do.	do.	do.	do.
<b>Dolobage</b>	Bernewella	—	do.	do.	do.
	Blackwood	Ingurugalla	Gampaha	January 12, 1917	6,847
	Chattaram	—	Dolobage	February 5, 1915	6,697
	Cholurakandio	—	Nawelapitiya	do.	do.
	Cholurakandio	—	do.	do.	do.

Coorcondooavatta ..	—	..	Gampola	..	May 14, 1915	..	6,713
Craighead ..	—	..	Navalapitiya	..	February 5, 1915	..	6,697
Dallegas ..	—	..	Dolosbage	..	do.	..	do.
Dambalgolla ..	—	..	Undugoda	..	do.	..	do.
Dedugalla ..	..	..	Dolosbage	..	..	..	..
Denmark (see Fusselawa district).	..	..	..	..	..	..	..
Eppewattie ..	Tamaravelly	..	do.	..	January 12, 1917	..	6,847
Gallomudena ..	—	..	..	..	February 5, 1915	..	6,697
Gangwally ..	..	..	do.	..	do.	..	do.
Gonawatta ..	Tamaravelly	..	..	..	..	..	..
Hapugahawatta ..	—	..	Gampola	..	January 12, 1917	..	6,847
Havilland ..	—	..	..	..	May 14, 1915	..	6,713
Hillside ..	—	..	Dolosbage	..	..	..	..
Ingurugalla ..	Ingurugalla	..	Navalapitiya	..	February 5, 1915	..	6,697
Jak Tree Hill ..	—	..	Dolosbage	..	do.	..	do.
Kellie ..	—	..	Gampola	..	do.	..	do.
Kelvin ..	Kellie	..	Dolosbage	..	do.	..	do.
Lantern Hill (see Kadugannawa district).	—	..	..	..	September 15, 1916	..	6,823
Maskeloya ..	—	..	do.	..	..	..	..
Meddegoda ..	—	..	Udahentenna	..	February 5, 1915	..	6,697
Meenagalla ..	—	..	Dolosbage	..	January 12, 1917	..	6,847
Monte Cristo ..	—	..	Navalapitiya	..	February 5, 1915	..	6,697
Mossville ..	Mossville	..	..	..	do.	..	do.
Nartakande ..	Tamaravelly	..	Dolosbage	..	..	..	..
Onankande ..	—	..	do.	..	January 12, 1917	..	6,847
Parragalla ..	—	..	..	..	February 5, 1915	..	6,697
Peo-Y-lan ..	—	..	Navalapitiya	..	do.	..	do.
Raxawa ..	—	..	Dolosbage	..	June 7, 1918	..	6,948
St. Catherine ..	—	..	Navalapitiya	..	September 15, 1916	..	6,823
St. Helena ..	—	..	Dolosbage	..	February 5, 1915	..	6,697
Somerset ..	—	..	do.	..	do.	..	do.
Tamaravelly ..	Tamaravelly	..	Gampola	..	..	..	..
Theydon Bois ..	—	..	Dolosbage	..	January 12, 1917	..	6,847
	..	..	Navalapitiya	..	March 18, 1915	..	6,705



District.	Name of Estate or Division.	Group.	Post Town.	Date of Registration.	Gazette No.
<b>Dolosbage—contd.</b>	Ugisesido ..	—	—	March 19, 1915 ..	6,705
	Weemala ..	—	—	do. ..	do.
	Weelkelle ..	—	—	January 12, 1917 ..	6,847
	Windsor Forest ..	Tamaravelly ..	Dolosbage ..	February 5, 1915 ..	6,697
<b>Dumbara</b>	Yellangowry ..	—	do. ..	do. ..	do.
	Rajawella ..	—	Kandy ..	do. ..	do.
	Bollegalla (Upper) ..	Pallekelle ..	do. ..	do. ..	6,697
<b>Gatagedara</b>	Morakande ..	—	do. ..	do. ..	do.
	Pallagalle ..	—	Peradeniya ..	December 28, 1917 ..	6,917
	Yahalatenne ..	—	Kandy ..	February 5, 1915 ..	6,697
	Yahalatenne ..	—	Nakiyadeniya ..	May 14, 1915 ..	6,713
<b>Galle</b>	Beau Sejour ..	—	Mapalagama ..	December 17, 1915 ..	6,764
	Gallindya ..	—	Elpitiya ..	do. ..	do.
	Pati Rajah ..	—	Mapalagama ..	December 11, 1914 ..	6,687
	Talgaswelle ..	—	Galaha ..	February 5, 1915 ..	6,697
<b>Hantano</b>	Ambarama ..	—	Kandy ..	do. ..	do.
	Anniewatte ..	—	Peradeniya ..	do. ..	do.
	Augusta ..	—	Galaha ..	do. ..	do.
	Dunally ..	—	do. ..	do. ..	do.
	Galaha ..	—	Kandy ..	do. ..	do.
	Hantano ..	—	Peradeniya ..	do. ..	6,697
	Hindugalla ..	—	do. ..	do. ..	do.
	Hopewell ..	—	Kandy ..	July 5, 1918 ..	—
	Kitogolla ..	—	Galaha ..	February 5, 1915 ..	6,697
	Kitoodooola ..	—	Peradeniya ..	do. ..	do.
	Mattarama ..	—	do. ..	do. ..	do.
	Mount Pleasant ..	—	Kandy ..	do. ..	do.
	Mooray ..	—	do. ..	January 12, 1917 ..	6,847
	Oodewella ..	—	Kandy ..	do. ..	do.
	Ooregalla ..	—	do. ..	do. ..	do.

Peradeniya (New) ..	—	..	..	Peradeniya	..	February 5, 1915	..	6,697
Peradeniya (Old) ..	—	..	..	do.	..	do.	..	do.
Primrose Hill ..	—	..	..	Kandy	..	August 3, 1917	..	6,890
Prospect Hill ..	—	..	..	Peradeniya	..	September 10, 1915	..	6,739
Rosawatta ..	—	..	..	Kandy	..	February 5, 1915	..	6,697
Rosehill (Training Colony)	—	..	..	Peradeniya	..	do.	..	do.
Vedchetia North ..	Dunally	..	..	Galaha	..	do.	..	do.
..	..	..	..	..	..	..	..	..
Ampitteme ..	—	..	..	Koslanda	..	December 28, 1917	..	6,917
Amptitakande ..	—	..	..	Bandarawela	..	June 7, 1918	..	6,848
Arnall ..	—	..	..	do.	..	February 5, 1916	..	6,697
Ballagalla Ella ..	—	..	..	do.	..	August 3, 1917	..	6,890
Batgodde ..	—	..	..	Haputale	..	February 5, 1915	..	6,697
Berragalla ..	—	..	..	do.	..	March 19, 1915	..	6,705
Blackwood ..	—	..	..	do.	..	February 5, 1915	..	6,697
Broughton ..	—	..	..	Bandarawela	..	June 7, 1918	..	6,948
Cabragalla ..	—	..	..	do.	..	February 5, 1915	..	6,697
Catton ..	Poonagalla	..	..	do.	..	do.	..	do.
Deaculla ..	do.	..	..	..	..	May 14, 1916	..	6,713
Dickapittia ..	—	..	..	Koslanda	..	February 5, 1915	..	6,697
Diyaluma ..	Poonagalla	..	..	Haputale	..	do.	..	do.
Fellside ..	do.	..	..	Bandarawela	..	do.	..	do.
Gokonda ..	—	..	..	do.	..	do.	..	do.
Haldumulla ..	Needwood	..	..	Haputale	..	May 14, 1915	..	6,713
Haputale ..	—	..	..	Haldumulla	..	February 2, 1917	..	6,861
Idulgashena ..	—	..	..	Haputale	..	May 14, 1915	..	6,713
Kalpahane ..	—	..	..	Haldumulla	..	March 19, 1915	..	6,705
Kelburne ..	—	..	..	do.	..	May 4, 1917	..	6,870
Koslanda ..	—	..	..	Haputale	..	December 28, 1917	..	6,917
Laymastotte ..	Monerakunde	..	..	Koslanda	..	March 19, 1915	..	6,705
Leangawella ..	—	..	..	do.	..	—	..	—
Lyegrove (Lower) ..	—	..	..	Haputale	..	February 5, 1915	..	6,697
Lyegrove (Upper) ..	Monerakunde	..	..	do.	..	March 19, 1915	..	6,705
..	..	..	..	Koslanda	..	..	..	..

Haputale

District.	Name of Estate or Division.	Group.	Post Town.	Date of Registration.	Gazette No.
<b>Haputale—contd.</b>	Lunugalla	.. Poonagalla	.. Bandarawela	.. February 5, 1915	.. 6,697
	Mecadeniya	..	.. Koslanda	.. do.	.. do.
	Malakande	..	.. do.	.. May 14, 1915	.. 6,713
	Malvern	..	.. do.	.. do.	.. do.
	Meerlabedde	..	.. do.	.. do.	.. do.
	Monarakande	..	.. do.	.. March 19, 1915	.. 6,705
	Nahakettia	..	.. do.	.. do.	.. do.
	Needwood	..	.. Haldummulla	.. May 14, 1915	.. 6,713
	Oakfield	..	.. Koslanda	.. November 16, 1917	.. 6,909
	Oakwell	..	.. Haldummulla	.. March 19, 1915	.. 6,705
	Poonagalla	.. Poonagalla	.. Bandarawela	.. February 5, 1915	.. 6,697
	Sherwood	..	.. Haputale	.. May 14, 1915	.. 6,713
	Sinna Goleconda	..	.. do.	.. May 4, 1917	.. 6,870
	Singarawatte	..	.. Koslanda	.. December 28, 1917	.. 6,917
	Udahena	..	.. Bandarawela	.. February 5, 1915	.. 6,697
	Wiharegalla	..	.. Haputale	.. do.	.. do.
	—	..	..	..	..
<b>Haputale West</b>	Eastland	..	..	..	..
	Gonavy (see Hewaheta Lower district).	..	.. Hewaheta	.. May 14, 1915	.. 6,713
<b>Hewaheta (Upper)</b>	Hanguranketto	..	.. Hanguranketta	.. September 10, 1915	.. 6,739
	Hanguranketto (Lower)	..	.. Hewaheta	.. October 22, 1915	.. 6,749
	Rahatungoda	..	.. do.	.. February 5, 1916	.. 6,697
	Rivardale	..	.. do.	.. do.	.. do.
	Rutland	..	..	..	..
<b>Hewaheta (Lower)</b>	Bellwood	..	.. Galahia	.. December 11, 1914	.. 6,687
	Bowlana	..	.. Delofa	.. February 5, 1915	.. 6,697
	Deliotte	..	.. Galahia	.. do.	.. do.
	Gallantenne	..	.. do.	.. do.	.. do.
	Gonavy	..	.. Delofa	.. do.	.. do.
	Gongalla	..	.. do.	.. March 19, 1915	.. 6,706

Great Valley	..	..	..	..	February 5, 1915	..	6,697
Kirimetta	..	..	..	..	December 11, 1914	..	6,687
Little Valley	..	..	..	..	February 5, 1915	..	6,697
Loolecondra	..	..	..	..	do.	..	do.
Meddagama (Old)	..	..	..	..	do.	..	do.
Monagalla	..	..	..	..	December 11, 1914	..	6,687
Olorawatta	..	..	..	..	February 5, 1915	..	6,697
Pattugama	..	..	..	..	do.	..	do.
Algoottenne	..	..	..	..	March 9, 1917	..	6,858
Berveulā (see Matāle South),	..	..	..	..	do.	..	do.
Dotalla	..	..	..	..	do.	..	do.
Elkaduwa	..	..	..	..	March 19, 1915	..	6,705
Galgawatta	..	..	..	..	March 9, 1917	..	6,868
Happawidde	..	..	..	..	February 5, 1915	..	6,697
Hunasgiriya (New)	..	..	..	..	do.	..	do.
Hunasgiriya (Upper)	..	..	..	..	December 11, 1914	..	6,687
Hunugalla	..	..	..	..	February 5, 1915	..	6,697
Maha-oya	..	..	..	..	March 19, 1915	..	6,705
Mahatenne	..	..	..	..	December 11, 1914	..	6,687
Weygalla	..	..	..	..	do.	..	do.
Alpitakande	..	..	..	..	February 5, 1915	..	6,697
Amthalawa	..	..	..	..	do.	..	do.
Angala	..	..	..	..	March 19, 1915	..	6,705
Chadussa	..	..	..	..	..	..	..
Gampolawatta (see Pusallawa),	..	..	..	..	February 5, 1915	..	6,697
Gona Adika	..	..	..	..	March 19, 1915	..	6,705
Hartfield	..	..	..	..	July 5, 1918	..	6,954
Kobbekaduwa	..	..	..	..	February 5, 1915	..	6,697
Lantern Hill	..	..	..	..	March 19, 1915	..	6,705
Mariawatta	..	..	..	..	do.	..	..
Mount Colville	..	..	..	..	June 7, 1918	..	6,948
Mount Temple	..	..	..	..	December 17, 1915	..	6,764

### Hunasgiriya

### Kadugannawa

District.	Name of Estate or Division.	Group.	Post Town.	Date of Registration.	Gazette No.
<b>Kadugannawa—contd.</b>	Niyamakanda ..	—	.. Kadugannawa ..	July 5, 1918	.. 6,954
	Orion (see Pussellawa).	—	..	..	..
	Ranawella ..	—	.. Campola ..	February 5, 1915	.. 6,697
	Silver Hill ..	—	.. Kadugannawa ..	January 12, 1917	.. 6,847
	Sinnepitiya ..	—	.. do. ..	do.	.. do.
	Udawalata ..	—	.. do. ..	do.	.. do.
	Allagala ..	—	..	March 19, 1915	.. 6,705
	Bellongalla ..	—	..	January 12, 1917	.. 6,847
	Coodoogalla ..	—	.. do. ..	October 22, 1915	.. 6,749
	Farm ..	—	.. do. ..	February 5, 1915	.. 6,697
<b>Kadugannawa, North or Alagala ..</b>	Geragama ..	—	.. do. ..	August 31, 1917	.. 6,895
	Government Experiment Station ..	—	..	..	..
	Kirimittia ..	—	.. Peradeniya ..	July 30, 1915	.. 6,730
	Kittudeniya ..	—	.. Kadugannawa ..	February 5, 1915	.. 6,697
	Kottegodde ..	—	.. Peradeniya ..	December 11, 1914	.. 6,687
	Kurugama ..	—	.. do. ..	June 18, 1915	.. 6,722
	Lankka ..	—	.. do. ..	do.	.. do.
	Nugahena ..	—	.. Mawanela ..	June 1, 1917	.. 6,876
	Sannha ..	—	.. do. ..	June 18, 1915	.. 6,722
	Seafeld ..	—	.. do. ..	July 30, 1915	.. 6,730
<b>Kalutara ..</b>	Tismoda ..	Tismoda	.. Kadugannawa ..	March 19, 1915	.. 6,705
	Yahalatenna (see Galagedera).	do.	.. do. ..	do.	.. do.
	..	—	..	..	..
<b>Kegalla ..</b>	Arapolakkande ..	—	..	February 5, 1915	.. 6,697
	Halwatura ..	—	..	May 4, 1917	.. 6,870
	Neuchâtel ..	—	..	February 5, 1915	.. 6,697
	Rayigum ..	—	..	July 20, 1917	.. 6,888
	..	—	..	..	..
<b>Kogalla ..</b>	Ambalakande ..	—	..	February 5, 1915	.. 6,697
	Dubbawenna ..	—	..	March 19, 1915	.. 6,705

Donoughmore	..				..	February 5, 1915	6,097
Ettie	..				do.	do.	..
Glasalmond	..				do.	do.	..
Golinda	..				do.	do.	..
Karandipona	..				do.	March 19, 1915	6,705
(see Kelani Valley).							
Maryland	..				do.	February 5, 1915	6,697
Millogutenne	..				do.	do.	..
Narangalla	..				do.	July 30, 1915	6,730
Panambe	..				do.	..	..
Pinduli-o-ya (see Kelani Valley).	..				do.	February 5, 1915	6,697
Pondappe	..				do.	March 19, 1915	6,705
Udagoda	..				do.	..	..
Wabarska (see Kelani Valley).	..				do.	February 5, 1915	6,697
Yataderiya	..				do.	..	..
(see Dolosbage).							
Abassi	..				Avisawella	March 9, 1917	6,858
Adress	..				Yatiyantota	May 14, 1915	6,713
Atherfield	..				Avisawella	do.	..
Avington	..				Yatiyantota	February 5, 1915	6,697
Bellioyattene	..				Avisawella	do.	..
Bovline	..				Yatiyantota	March 18, 1915	6,705
Broadlands	..			Hemford	Avisawella	February 5, 1915	6,697
Chesterford	..			Rondura	Watavala	March 19, 1916	6,705
Clara	..				Avisawella	April 20, 1917	6,867
Clunes	..				do.	February 5, 1915	6,705
Degalesa	..				Dehiowita	March 19, 1915	6,705
Debiowita	..				Yatiyantota	do.	..
Don Pedro	..				Dehiowita	August 3, 1917	6,890
Ederapolla	..				do.	May 14, 1915	6,713
Eila	..				Yatiyantota	do.	..

**Kelani Valley**

District.	Name of Estate or Division.	Group.	Post Town.	Date of Registration.	Gazette No.
Kafani Valley— <i>contd.</i>	El-Noor	Hemingford	Avisawella	March 19, 1915	6,705
	Elston	—	Puwakpitiya	February 5, 1915	6,697
	Erracht	—	Dehiowita	May 14, 1915	6,713
	Ferriby	—	Puwakpitiya	February 5, 1915	6,697
	Florence	Rondura	Wakawala	do.	do.
	Ganupalla	—	Yatiyantota	do.	do.
	Glassei	—	Dehiowita	May 14, 1915	6,713
	Gonagamma	—	Kitulgala	February 5, 1915	6,697
	Halgolla	—	Yatiyantota	do.	do.
	Hataragalla	Yogama	Dehiowita	August 3, 1917	6,890
	Hemingford	Hemingford	Avisawella	March 19, 1915	6,705
	Iluktenne	Sepumalkande	Yatiyantota	do.	do.
	Indurama	—	Ruanwella	May 14, 1915	6,713
	Kelani	—	Yatiyantota	February 5, 1915	6,697
	Kinross	—	do.	do.	do.
	Kirporuwā	—	do.	do.	do.
	Knavesmire	—	Undugoda	March 19, 1915	6,705
	Lavaut	—	Yatiyantota	February 5, 1915	6,697
	Matinkanda	Sepumalkande	do.	March 19, 1915	6,705
	Maldeniya	—	Dehiowita	February 5, 1915	6,697
	Mptiyakande	—	Yatiyantota	do.	do.
	Oaklands	—	do.	May 14, 1915	6,713
	Panawatte	—	do.	February 5, 1915	6,697
	Parusella	—	do.	October 22, 1916	6,749
	Patheriya	Hemingford	Avisawella	March 19, 1916	6,705
	Peritilly	Peritilly	Puwakpitiya	do.	do.
	Pindeniya	—	Ruanwella	do.	do.
	Pindeniya	—	do.	do.	do.
	Pindeniya	—	Yatiyantota	February 5, 1915	6,697
	Pindeniya	—	do.	do.	do.
	Rondura	Rondura	Wakawala	do.	do.

Kelabokka	..	Sapumalkanda	..	..	Sapumalkanda	..	..	March 19, 1915	..	6,705
	..	Srisanda	..	..	—	..	..	do.	..	6,705
	..	Sunnyroft	..	..	—	..	..	do.	..	6,890
	..	Talapitiya	..	..	Yogama	..	..	August 3, 1917	..	6,890
	..	Telampitiya	..	..	do.	..	..	do.	..	6,697
	..	Udabage	..	..	—	..	..	February 5, 1915	..	6,697
	..	Verulupitiya	..	..	—	..	..	do.	..	do.
	..	Wabaraka	..	..	—	..	..	do.	..	do.
	..	Walpola	..	..	—	..	..	do.	..	do.
	..	We-oya	..	..	Maha-oya	..	..	do.	..	6,705
	..	Weyvelatawa	..	..	—	..	..	February 5, 1915	..	6,697
	..	Woodend	..	..	Halgolla	..	..	March 19, 1915	..	6,705
	..	Yogama	..	..	—	..	..	August 3, 1917	..	6,890
	Knuckles	..	Deyanilla	..	..	Yogama	..	..	September 10, 1915	..
..		Galboheria	..	..	—	..	..	June 18, 1915	..	6,722
..		Hasele	..	..	—	..	..	February 5, 1915	..	6,697
..		Kalibokka	..	..	—	..	..	October 22, 1915	..	6,749
..		Madukole	..	..	—	..	..	February 5, 1915	..	6,697
..		Matacousa	..	..	—	..	..	do.	..	do.
..		Poonernally	..	..	—	..	..	do.	..	do.
..		Pillnagalla	..	..	—	..	..	July 30, 1915	..	6,730
..		Relugas	..	..	—	..	..	do.	..	6,697
..		Watakolly	..	..	—	..	..	February 5, 1915	..	6,697
..		Alakolla	..	..	—	..	..	March 19, 1915	..	6,705
..		Arratonne	..	..	—	..	..	do.	..	do.
..		Beddegama	..	..	—	..	..	August 31, 1917	..	6,895
..		Galboda	..	..	—	..	..	January 12, 1917	..	6,847



District.	Name of Estate or Division.	Group.	Post Town.	Date of Registration.	Gazette No.
<b>Knuckles—contd.</b>	.. Maddakelle ..	—	.. Madulkelo ..	.. February 5, 1915 ..	.. 6,697 ..
	.. Moragahagalla ..	.. Knuckles ..	.. do. ..	.. March 19, 1915 ..	.. 6,705 ..
	.. St. John's Hill ..	—	.. do. ..	.. January 12, 1917 ..	.. 6,847 ..
	.. Tunigalla ..	.. Tunigalla ..	.. Rangala ..	.. July 30, 1915 ..	.. 6,730 ..
<b>Kotmale</b>	.. Waragalandu ..	—	.. do. ..	.. February 5, 1915 ..	.. 6,697 ..
	.. Acrawasilo ..	—	.. Kotmale ..	.. do. ..	.. do. ..
	.. Atherton ..	—	.. Galbada ..	.. January 12, 1917 ..	.. 6,847 ..
	.. Bowhill ..	—	.. do. ..	.. February 5, 1915 ..	.. 6,697 ..
	.. Dambagalla ..	—	.. Ulapane ..	.. do. ..	.. do. ..
	.. Donside ..	—	.. Nawalapitiya ..	.. do. ..	.. do. ..
	.. Doonabagastalawa ..	—	.. Kotmale ..	.. do. ..	.. do. ..
	.. Fettercalm ..	.. Kadienlenu ..	.. do. ..	.. do. ..	.. do. ..
	.. Gingenoya ..	—	.. do. ..	.. May 14, 1915 ..	.. 6,713 ..
	.. Goorokoya ..	.. Goorokoya ..	.. Nawalapitiya ..	.. February 5, 1915 ..	.. 6,697 ..
	.. Greenwood ..	—	.. do. ..	.. do. ..	.. do. ..
	.. Harangalla ..	.. Harangalla ..	.. Kotmale ..	.. do. ..	.. do. ..
	.. Kadienlenu ..	.. Kadienlenu ..	.. do. ..	.. do. ..	.. do. ..
	.. Katapola ..	—	.. do. ..	.. do. ..	.. do. ..
	.. Kolaputana ..	—	.. do. ..	.. do. ..	.. do. ..
	.. Mahasema ..	.. Kadienlenu ..	.. do. ..	.. do. ..	.. do. ..
<b>Kurunegala</b>	.. Omoogaloya ..	—	.. do. ..	.. do. ..	.. do. ..
	.. Pitligo ..	.. Kadienlenu ..	.. Nawalapitiya ..	.. do. ..	.. do. ..
	.. Ravensaraig ..	—	.. do. ..	.. June 18, 1915 ..	.. 6,722 ..
	.. Tellisgalla ..	.. Harangalla ..	.. Kotmale ..	.. December 17, 1915 ..	.. 6,794 ..
	.. Tyspano ..	.. Tyspano ..	.. do. ..	.. do. ..	.. do. ..
	.. Westhall ..	.. Westhall ..	.. do. ..	.. September 10, 1915 ..	.. 6,739 ..
<b>Kurunegala</b>	.. — ..	—	.. — ..	.. — ..	.. — ..
	.. (see Kurunepura district).	.. — ..	.. — ..	.. — ..	.. — ..
<b>Kurunegala</b>	.. — ..	—	.. — ..	.. — ..	.. — ..
<b>Kurunegala</b>	.. — ..	—	.. — ..	.. — ..	.. — ..

[illegible]

District.	Name of Estate or Division.	Group.	Post Town.	Date of Registration.	Gazette No.
<b>Matale East and Lag- gala—contd.</b>	Ellagalla	..	..	..	..
	Forest Hill	..	..	..	..
	Gansapola	..	..	..	..
	Godapola	..	..	..	..
	Hattianwella	..	..	..	..
	Kandenewera	..	..	..	..
	Karagahatallawa	..	..	..	..
	Karagahattonne	..	..	..	..
	Kensington	..	..	..	..
	Kinrara	..	..	..	..
	Koladatchy	..	..	..	..
	Lauregalla	..	..	..	..
	Longville	..	..	..	..
	Managalla	..	..	..	..
	Midlands	..	..	..	..
	Moudegalla	..	..	..	..
	Muandoriya	..	..	..	..
	Nagalla	..	..	..	..
	Nicholaoya	..	..	..	..
	Opalgalla	..	..	..	..
	Owella	..	..	..	..
	Pallatonne	..	..	..	..
	Poonagalla (see Kellebokka district).	..	..	..	..
<b>Matale North</b>	Sutuganga	..	..	..	..
	Sylvakanda	..	..	..	..
	Wewelmadde	..	..	..	..
	Wiharegama	..	..	..	..
	Karagalla	..	..	..	..
	Nalanda	..	..	..	..
	Nalanda	..	..	..	..